Smith Mountain Striper Club - 2023



Dan Wilson



SML Striped Bass Stocking





• 2021 = 284,000


• 2022 = 330,000

• 2023 = Later in the presentation



Stocking – Truck vs Boat

	Truck	Boat
2019	46%	54%
2020	73%	27%
2021	71%	29%
2022	30%	70%









Boat Stocking




Gill Nets - Striped Bass Age 1½



Gill Nets & Stocking Rate




Gill Nets - Striped Bass All Ages




Gill Net 6-month-Old Striped Bass

 6 month old striped bass catch in gill nets hasn't been the best predictor of year class strength


Except – any year that had
 2.2 fish/net produced a good
 year class (high #'s Ages 1 & 2)




Gill Nets 2022




Gill Nets 2022 & 2021





Gill Nets Do NOT Reflect the Whole Population





Gill Nets & Diaries - 2022















(2 years later)









Angler Diaries 2022 & 2015







Striped Bass Growth 2021



Striped Bass Growth 2022




Striped Bass Growth



Shad & Striper Growth




Diary Data Catch Rates ≥ 30"




2023 Stocking ≈ 225,000

- Angler Catch Rates
- Good 2022 year class
- Forage
- Striped bass Growth
- Larger Striped Bass #'s



SML Striped Bass Stocking



Big Picture from 2022 Data

- Striped bass health and forage is lower than desired
- Number of bigger fish is lower

So

Stocking fewer fish in 2023

But

 Fishing should be better for overall numbers the next couple of years!


Discussion?

Random Miscellaneous Items

Diary Participation

- 2022 most in 20 years (35)
 - 20 paper
 - 15 electronic

- Electronic participants
 - I don't know who you are (maybe you like it that way)
 - No reward



Striped Bass Summer Mortality Study

(Scheduled to Start Aug. 2023)

- Previous studies in other lakes indicate low summer survival of released striped bass.
- SML has more cool water (with oxygen) available in the summer than other study lakes.
- Striped bass that are not already stressed from warm water and have cool water to return to after release, may have better survival?
- Primary Questions we are looking to answer:
 - Is summer Catch & Release mortality similar to other study lakes?
 - Do young striped bass ages 1-3 (≈ 16"-22") survive better?
 - Do older striped bass (>30") have higher mortality?

Study Plans

- We were hoping to get a study with student/university. Due to lack of \$\$, DWR will be conducting a reduced study with existing personnel.
- Current plans are to conduct study for 2 years (August 2023 & 2024).
- This is a short-term mortality study during summer warm weather conditions.
 - Does not include longer term mortality from hooking wounds or other catch & release damage (not temperature related) that would take longer to manifest.

Study Plans

- Track striped bass with transmitters in August, hottest period.
 - Potential changes in 2024 depending on results from 2023
- Catch striped bass with hook & line by anglers.
- Insert tag into stomach
- Track for 2 days
 - Fish that die from warm conditions should die within a few hours, usually no longer than one day.

Where we are to date:

- Checked retention of tags implanted into stomach
 - 6 fish were captured by anglers on 1/10/23, tags inserted into 4 stripers, fish transported to hatchery for observation
 - Only 1 tag passed (day 4) in the 6 days held at hatchery
- Old tracking equipment acquired
- 40 acoustic tags have been ordered
- Plan to experiment with equipment later in the spring.

Primary Data collection

- Date
- Fish length
- Air & surface water temperatures
- Depth & temperature fish is hooked
- Water temperature profiles at capture site (temps at various depths)









Do you fish deep water and release fish?

• If yes — have you ever had fish that can not get off the surface?

If you fish in deep water and release fish, you should have a
descending device in your boat. It can be a simple home-made devise
with hook/line/weight (YouTube for instructions), or you can purchase
one.


Descending Device


60 m 70 m 7 atm80 m





Barotrauma









Striped Bass Heads for Growth Data

- Provided DWR paper forms are water resistant
- Normal paper will fall apart, information often not discernable/lost
- If using other paper, place in ziplock bag
- Place in mouth of the striped bass head

Email:	
or Address:	
City Sta	te Zip
Phone Number (
*Length: Weight (if available	e):
*Date Caught:/	
*Required information	Place this paper in mouth of stripe

Angler Survey 2023

- DWR will be conducting an angler survey (creel survey) at SML starting mid-March.
- They are conducted about every 5 years
 - Its' been 9 years since last one due to COVID
- Interviews conducted from a boat while people are fishing.
- Important data collected about what people catch and what they fish for.
- Results help justify management on the lake including striped bass stocking.

What anglers fished for at Smith Mountain Lake, Marc-October, 2014.

Striped Bass	39%
Black Bass	52%
Catfish	2%
Crappie	3%

Expenditure estimates by angler type during the Smith Mountain Lake creel survey, March-October 2014.

Striped Bass	\$2,523,000
Black Bass	\$2,997,000
Catfish	\$123,500
Crappie	\$94,500









